

Antisilicon アンチシリコン

FOR PROFESSIONAL USE ONLY
用途

上塗り塗装時の塗装表面ハジキ防止用特殊添加剤です。

主剤と副剤

アンチシリコン

シッケンズ クリヤーコート類及びオートクリルプラス

※ベースコートやプライマーサフェーサー類には絶対に使用しないでください。

原材料

特殊有機溶剤及びアンチシリコンエージェント

混合比

ハジキの程度により、ハードナー・リデューサー混合済み塗料 1L に対して 5 - 15g、又はキャップに 1 - 3 杯添加し、充分攪拌してからスプレーしてください。

製品の保管

製品の貯蔵安定期間は 20℃で保管された場合で表記しています。
極端な温度変化を避けてください。

※貯蔵安定期間については TDS S9.01.02 をご参照ください。



適切な安全保護具を使用してください。

アクゾノーベルコーティングではフレッシュエアーマスクの使用を推奨します。

Akzo Nobel Car Refinishes

Address: 510 Thomson Rd. #16-03 SLF Building Singapore 298135

Tel: +65-6254-8477

FOR PROFESSIONAL USE ONLY

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advices given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Coatings brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.

Head Office

Akzo Nobel Car Refinishes B.V., PO Box 3 2170 BA Sassenheim, The Netherlands. www.sikkenscr.com

