

M200

FOR PROFESSIONAL USE ONLY

설명 Description

M200 은 수용성 표면 세정제로서 친수성의 불순물 제거가 가능합니다. Sikkens 의 다양한 탈지제를 사용한 후에 M200 을 사용하십시오.

표면 세정제로 작업 전 Before cleaning with a surface cleaner

표면을 미온수와 중성세재를 사용하여 세척하여 주시고, 물에 녹는 모든 이물질을 제거하여 주십시오. 깨끗한 물로 충분히 헹궈주십시오. 그리스, 기름, 왁스 및 실리콘 오염은 제거되지 않습니다.

세척 테크닉 Cleaning technique

표면에 있는 잔존물의 확실한 세척을 위해 M200 을 마무리로 사용하여 주십시오.

표면에 이물질이 남아 있을 때 세정제가 증발되지 않도록 하여 주십시오. 세정제가 증발하기 전에 충분히 닦아 주시기 바랍니다.

세정에 사용되는 타올은 항상 깨끗한 것으로 규칙적으로 교환해 주십시오. 자연발화의 위험을 방지하기 위해 일정요건을 충족하는 밀폐된 용기에 탈지에 사용한 타올을 넣어주십시오.

밀봉된 쓰레기통등에 버리지 말고 그레이팅(격자무늬로 된 철재로 된 바닥)등에 방치하여 용제가 증발되도록 방치하여 주십시오. 용제가 완전히 증발 된 후 휴지통에 버려주시기 바랍니다.

바디필러가 노출된 경우, M200 또는 어떤 다른 종류의 수용성 탈지제도 접촉되지 않게 해주십시오.

보건 및 안전 Health and Safety



사용 전 충분한 환기를 해주십시오. 설치 가능한 적절한 장소에 국부 배출 환기장치가 설치되어야 합니다.

악한 용해력의 탈지제를 사용하는 경우라도 세척 또는 탈지작업 동안 항상 내 용제력이 있는 장갑을 사용하시기 바랍니다. 세척용제가 피부에 흡수되는 위험을 줄일 수 있으며, 손의 염분 및 기름으로 인해 표면이 오염되는 것을 방지할 수 있습니다. 사용한 헝겂은 정기적으로 교체하여 주십시오.

제품의 보관 Product storage

제품의 보존 기간 (shelf-life)은 20°C 에서 개봉되지 않은 상태로 보관 되어진 상태를 기준으로 결정 됩니다. 급격한 온도변화를 피하여 주십시오.

제품 보존 기간 (shelf-life)은 기술 자료 TDS S9.01.02 를 참조 하여 주십시오.

FOR PROFESSIONAL USE ONLY

공급사 : (주)노루페인트

www.autorefinishes.co.kr

본사 및 안양공장 : 경기도 안양시 만안구 박달로 351

Tel (031) 467-6114(대) / 1588-7700(제품상담) / 1588-7707 (구입상담)

자동차 보수용도료 기술팀 : Tel (031) 467-6167~9 / Fax (031) 442-6755

FOR PROFESSIONAL USE ONLY

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advices given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to Akzo Nobel.

Head Office

AkzoNobel Car Refinishes B.V., PO Box 3 2170 BA Sassenheim, The Netherlands. www.sikkensvr.com