

Sikkens Guncleaner

FOR PROFESSIONAL USE ONLY

Description

Sikkens Guncleaner is an especially formulated solvent for cleaning paint application equipment with which solvent borne paints have been applied.

Health and Safety



Akzo Nobel Car Refinishes recommends to provide adequate ventilation during cleaning and degreasing with any of the mentioned cleaners and degreaser. Where reasonably practicable, this should be achieved by the use of local ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapours below the OEL, suitable respiratory protection must be worn.

Besides respiratory protection, always wear solvent resistant gloves while cleaning or degreasing even tough working with a low solvent degreaser. This will reduce the risk of cleaning solvents being absorbed into the skin and prevent salts and oils on your hands from contaminating the surface to be refinished.

VOC

2004/42/IIB(a)(850)845

The EU limit value for this product (product category: IIB. a) in ready to use form is max. 850 g/liter of VOC. The VOC content of this product in ready to use form is max. 845 g/liter.

Product storage

Product shelf-life is determined when products are stored unopened at 20°C. Avoid too much temperature fluctuation.

- o *Product shelf life data see TDS S9.01.02*

AkzoNobel Car Refinish bv.

Adress: Rijksstraatweg 31, PO Box 3, 2170 BA Sassenheim

Tel: +31(0)71308-6944

FOR PROFESSIONAL USE ONLY

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advices given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to AkzoNobel.

Head Office

AkzoNobel Car Refinishes B.V., PO Box 3 2170 BA Sassenheim, The Netherlands. www.sikkenscr.com

