

Autowave Guncleaner

FOR PROFESSIONAL USE ONLY

Description

Special cleaning agent suitable for cleaning and rinsing waterborne products equipment.

Product and additives

Product Autowave Guncleaner
Additive Autowave Separator (TDS 6.92)

Basic raw materials:

Water and solvents

Cleaning process:

After use equipment should be cleaned immediately. Thoroughly rinsing all deposits away until material runs clear. Subsequently rinse with a small amount of Activator WB.

Automatic gun cleaning:

For the most efficient automatic gun cleaning, the machine should be filled with pure Autowave Guncleaner.

Manual gun cleaning:

Autowave Guncleaner is ready to use for cleaning purpose.

If a water borne product is allowed to dry on equipment, clean with Sikkens Solvent before cleaning as specified above.

Do not allow aluminium equipment to soak immersed in Autowave Guncleaner.

It is advised to select dedicated spray equipment solely to use with water borne products.

Health and Safety



Akzo Nobel Car Refinishes recommends providing adequate ventilation during cleaning and degreasing

In addition, use suitable respiratory protection, always wear solvent resistant gloves whilst cleaning

VOC

2004/42/IB(a)(850)100

The EU limit value for this product (product category: IIB. a) in ready to use form is max. 850 g/liter of VOC.
The VOC content of this product in ready to use form is max. 100 g/liter.

Product storage

Product shelf-life is determined when products are stored unopened at 20°C.

Avoid too much temperature fluctuation.

- For optimal performance, store opened products at application temperature
- Maximum transport and storage temperatures between 2°C-35°C.
- Product shelf life data see TDS S9.01.02

Autowave Guncleaner

FOR PROFESSIONAL USE ONLY

Akzo Nobel Coatings LTD
Address: Unit 2B, Didcot Park
Churchward, Southmead Industrial Estate
Didcot, Oxfordshire, OX11 7HB
Tel: +44 (0)1235 862226

FOR PROFESSIONAL USE ONLY

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advices given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to AkzoNobel.

Head Office

AkzoNobel Car Refinishes B.V., PO Box 3 2170 BA Sassenheim, The Netherlands. www.sikkenscr.com