

M700 Anti Static Silicon Remover

FOR PROFESSIONAL USE ONLY

Description

M700 Antistatic Silicon Remover is suitable for cleaning and degreasing of existing finishes, including thermoplastic acrylic finishes and sanded fillers. M700 is a high performing silicon remover with anti-static properties, suitable for all repairs including plastics and polyester fiberglass parts.

Before cleaning with a surface cleaner

When a repair is to be made, first wash the car or body panel with warm water and pH neutral detergent. Contamination of residual grease, oil, wax and silicones will not be removed.

Cleaning technique

Wet a clean cloth with M700 and degrease the surface and thoroughly dry with a high quality absorbent cloth. Always use two cloths, one for degreasing and one for removing the contamination.

Avoid the M700 to evaporate.

The purpose of surface cleaning is to remove residual grease, oil, wax, silicones, etc.

- *Replace cloths regularly by clean ones.
To avoid the risk of fire, dispose of used rags in a sealed container place them on the floor grid until the solvents have evaporated.*

Points of attention

Blistering:

Once the surface is cleaned, it should not be touched with bare hands to avoid delamination or blistering caused by salt residue.

It is advised to use a waterborne degreaser like M200 as the final degreasing step.

Condensation:

Make sure that the object under repair has the same temperature as the surrounding area to avoid condensation of humidity.

Allow vehicles to acclimatize.

Health and Safety



Akzo Nobel Car Refinishes recommends to provide adequate ventilation during cleaning and degreasing. In addition, wear suitable respiratory protection and suitable gloves.

VOC

2004/42/IIb(A)(850)780

The EU limit value for this product (product category: IIB. a) in ready to use form is max. 850 g/liter of VOC. The VOC content of this product in ready to use form is max. 780 g/liter.

Product storage

Product shelf-life is determined when products are stored unopened at 20°C. Avoid too much temperature fluctuation.

- *Product shelf life data see TDS S9.01.02*

M700 Anti Static Silicon Remover

FOR PROFESSIONAL USE ONLY

AkzoNobel Car Refinish bv.
Adress: Rijkstraatweg 31, PO Box 3, 2170 BA Sassenheim
Tel: +31(0)71308-6944

FOR PROFESSIONAL USE WITH SUITABLE HS&E EQUIPMENT

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advices given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to AkzoNobel.

Head Office

AkzoNobel Car Refinishes B.V., PO Box 3 2170 BA Sassenheim, The Netherlands. www.sikkenscr.com